Name	Туре	Allow Null? / Default Value	Description
entry_number	int(9) unsigned	NO	Alcohol eCHECKUP TO GO Entry Number. For Alcohol eCHECKUP TO GO administrative functions only.
uid	varchar(12)	YES	User Identification Number (aka: Alcohol eCHECKUP TO GO ID Number)
episode	int(2) unsigned	NO 0	Number of times taken (i.e., time 1, time 2,); Specific to "uid"
date_completed	datetime	NO 0000-00-00 00:00:00	Date and Time the Alcohol eCHECKUP TO GO was submitted
			Format: YYYY-MM-DD HH:MM:SS
sex	char(1)	NO	Users's Sex
			M = Male
			F = Female
age	int(2) unsigned	YES NULL	User's age in years
weight	int(3) unsigned	NO 0	User's reported weight
weight_type	varchar(10)	NO	Type of unit used to report weight
kilograms	int(5) unsigned	NO 0	User's reported weight converted to kilograms
meds	char(1)	YES NULL	Does the user use prescription medication?
			Y = Yes
			N = No
			X = Ommitted
ethnic	int(2) unsigned	YES NULL	NO LONGER USED
ethniclabel	varchar(25)	YES NULL	NO LONGER USED
greek	char(1)	YES NULL	Member of a Fraternity or Sorority?
			Y = Yes
			N = No
			X = Ommitted
athlete	char(1)	YES NULL	Athlete?
utiliete			
			Y = Yes
			N = No
			X = Ommitted

Туре	Allow Null? / Default Value	Description
char(1)	YES NULL	Does the user live on institution?
		Y = Yes
		N = No
		X = Ommitted
varchar(20)	YES NULL	Type of Student
		(Institution Name) = a Student at your institutions
		OC = Other College Student
		HS = High School Student
		NS = Non-Student
varchar(20)	YES NULL	Year Level Information
		Freshman = Freshman/Year 1
		Sophomore = Sophomore/Year 2
		Junior = Junior/Year 3 Senior = Senior/Year 4
		Graduate = Graduate/Year 5+
		NA = Not Applicable NotApplicable = Not Applicable
		NULL = No Data
char(1)	VECN	Did the userturn on the accessibility features? (NEW)
		Y = Yes
		N = No
	char(1)	char(1) YES NULL varchar(20) YES NULL varchar(20) YES NULL

Name	Туре	Allow Null? / Default Value	Description
age_started	varchar(20)	YES NULL	Age the participant reported he/she first started drinking
			13 = 13 years old or younger
			14 = 14 years old
			15 = 15 years old
			16 = 16 years old
			17 = 17 years old
			18 = 18 years old
			19 = 19 years old
			20 = 20 years old
			21 = 21 years old or older
			never = Does not use alcohol
weeks_month	float	YES NULL	Number of weeks in a typical month the participant reported drinking (for "Standard" semester option only)
			0 = Does not drink
			1 = 1 week
			2 = 2 weeks
			3 = 3 weeks
			4 = 4 weeks
			4.3 = Every Week
drink_week_type	varchar(20)	YES NULL	Pattern of alcohol consuption during semester
			standard = alcohol consumption does not change during semester
			semester = alcohol consumption changes during semester
weeks_semester	int(2) unsigned	YES O	"Semester" option week distribution: Vorlesungszeit
weeks_exam	int(2) unsigned	YES O	"Semester" option week distribution: Prüfungszeit
weeks_vacation	int(2) unsigned	YES 0	"Semester" option week distribution: Vorlesungsfreie Zeit
b1	int(2) unsigned	YES O	Number of beers imbibed Monday ("Standard" drink_week_type option)
w1	int(2) unsigned	YES O	Number of wines imbibed Monday ("Standard" drink_week_type option)
s1	int(2) unsigned	YES O	Number of spirits/shots imbibed Monday ("Standard" drink_week_type option)
h1	int(2) unsigned	YES O	Hours spent drinking Monday ("Standard" drink_week_type option)
monBAC	float	YES 0	Blood Alcohol Level for Monday ("Standard" drink_week_type option)

Name	Туре	Allow Null? / Default Value	Description
b2	int(2) unsigned	YES O	Number of beers imbibed Tuesday ("Standard" drink_week_type option)
w2	int(2) unsigned	YES O	Number of wines imbibed Tuesday ("Standard" drink_week_type option)
s2	int(2) unsigned	YES O	Number of spirits/shots imbibed Tuesday ("Standard" drink_week_type option)
h2	int(2) unsigned	YES O	Hours spent drinking Tuesday ("Standard" drink_week_type option)
tueBAC	float	YES O	Blood Alcohol Level for Tuesday ("Standard" drink_week_type option)
b3	int(2) unsigned	YES O	Number of beers imbibed Wednesday ("Standard" drink_week_type option)
w3	int(2) unsigned	YES 0	Number of wines imbibed Wednesday ("Standard" drink_week_type option)
s3	int(2) unsigned	YES O	Number of spirits/shots imbibed Wednesday ("Standard" drink_week_type option)
h3	int(2) unsigned	YES 0	Hours spent drinking Wednesday ("Standard" drink_week_type option)
wedBAC	float	YES O	Blood Alcohol Level for Wednesday ("Standard" drink_week_type option)
b4	int(2) unsigned	YES 0	Number of beers imbibed Thursday ("Standard" drink_week_type option)
w4	int(2) unsigned	YES 0	Number of wines imbibed Thursday ("Standard" drink_week_type option)
s4	int(2) unsigned	YES 0	Number of spirits/shots imbibed Thursday ("Standard" drink_week_type option)
h4	int(2) unsigned	YES 0	Hours spent drinking Thursday ("Standard" drink_week_type option)
thuBAC	float	YES O	Blood Alcohol Level for Thursday ("Standard" drink_week_type option)
b5	int(2) unsigned	YES 0	Number of beers imbibed Friday ("Standard" drink_week_type option)
w5	int(2) unsigned	YES 0	Number of wines imbibed Friday ("Standard" drink_week_type option)
s5	int(2) unsigned	YES O	Number of spirits/shots imbibed Friday ("Standard" drink_week_type option)
h5	int(2) unsigned	YES O	Hours spent drinking Friday ("Standard" drink_week_type option)
friBAC	float	YES 0	Blood Alcohol Level for Friday ("Standard" drink_week_type option)
b6	int(2) unsigned	YES O	Number of beers imbibed Saturday ("Standard" drink_week_type option)
w6	int(2) unsigned	YES 0	Number of wines imbibed Saturday ("Standard" drink_week_type option)
s6	int(2) unsigned	YES O	Number of spirits/shots imbibed Saturday ("Standard" drink_week_type option)
h6	int(2) unsigned	YES 0	Hours spent drinking Saturday ("Standard" drink_week_type option)
satBAC	float	YES O	Blood Alcohol Level for Saturday ("Standard" drink_week_type option)
b7	int(2) unsigned	YES O	Number of beers imbibed Sunday ("Standard" drink_week_type option)
w7	int(2) unsigned	YES 0	Number of wines imbibed Sunday ("Standard" drink_week_type option)
s7	int(2) unsigned	YES 0	Number of spirits/shots imbibed Sunday ("Standard" drink_week_type option)
h7	int(2) unsigned	YES 0	Hours spent drinking Sunday ("Standard" drink_week_type option)
sunBAC	float	YES 0	Blood Alcohol Level for Sunday ("Standard" drink_week_type option)
semesterb1	int(2) unsigned	YES 0	Number of beers imbibed Monday ("Semester" drink_week_type option: Vorlesungszeit)
semesterw1	int(2) unsigned	YES 0	Number of wines imbibed Monday ("Semester" drink_week_type option: Vorlesungszeit)
semesters1	int(2) unsigned	YES 0	Number of spirits/shots imbibed Monday ("Semester" drink week type option: Vorlesungszeit)

Name	Туре	Allow Null? / Default Value	Description
semesterh1	int(2) unsigned	YES 0	Hours spent drinking Monday ("Semester" drink_week_type option: Vorlesungszeit)
semestermonBAC	float	YES 0	Blood Alcohol Level for Monday ("Semester" drink_week_type option: Vorlesungszeit)
semesterb2	int(2) unsigned	YES 0	Number of beers imbibed Tuesday ("Semester" drink_week_type option: Vorlesungszeit)
semesterw2	int(2) unsigned	YES 0	Number of wines imbibed Tuesday ("Semester" drink_week_type option: Vorlesungszeit)
semesters2	int(2) unsigned	YES 0	Number of spirits/shots imbibed Tuesday ("Semester" drink_week_type option: Vorlesungszeit)
semesterh2	int(2) unsigned	YES 0	Hours spent drinking Tuesday ("Semester" drink_week_type option: Vorlesungszeit)
semestertueBAC	float	YES 0	Blood Alcohol Level for Tuesday ("Semester" drink_week_type option: Vorlesungszeit)
semesterb3	int(2) unsigned	YES 0	Number of beers imbibed Wednesday ("Semester" drink_week_type option: Vorlesungszeit)
semesterw3	int(2) unsigned	YES 0	Number of wines imbibed Wednesday ("Semester" drink_week_type option: Vorlesungszeit)
semesters3	int(2) unsigned	YES 0	Number of spirits/shots imbibed Wednesday ("Semester" drink_week_type option: Vorlesungszeit)
semesterh3	int(2) unsigned	YES 0	Hours spent drinking Wednesday ("Semester" drink_week_type option: Vorlesungszeit)
semesterwedBAC	float	YES 0	Blood Alcohol Level for Wednesday ("Semester" drink_week_type option: Vorlesungszeit)
semesterb4	int(2) unsigned	YES 0	Number of beers imbibed Thursday ("Semester" drink_week_type option: Vorlesungszeit)
semesterw4	int(2) unsigned	YES 0	Number of wines imbibed Thursday ("Semester" drink_week_type option: Vorlesungszeit)
semesters4	int(2) unsigned	YES 0	Number of spirits/shots imbibed Thursday ("Semester" drink_week_type option: Vorlesungszeit)
semesterh4	int(2) unsigned	YES 0	Hours spent drinking Thursday ("Semester" drink_week_type option: Vorlesungszeit)
semesterthuBAC	float	YES 0	Blood Alcohol Level for Thursday ("Semester" drink_week_type option: Vorlesungszeit)
semesterb5	int(2) unsigned	YES 0	Number of beers imbibed Friday ("Semester" drink_week_type option: Vorlesungszeit)
semesterw5	int(2) unsigned	YES 0	Number of wines imbibed Friday ("Semester" drink_week_type option: Vorlesungszeit)
semesters5	int(2) unsigned	YES 0	Number of spirits/shots imbibed Friday ("Semester" drink_week_type option: Vorlesungszeit)
semesterh5	int(2) unsigned	YES 0	Hours spent drinking Friday ("Semester" drink_week_type option: Vorlesungszeit)
semesterfriBAC	float	YES 0	Blood Alcohol Level for Friday ("Semester" drink_week_type option: Vorlesungszeit)
semesterb6	int(2) unsigned	YES 0	Number of beers imbibed Saturday ("Semester" drink_week_type option: Vorlesungszeit)
semesterw6	int(2) unsigned	YES 0	Number of wines imbibed Saturday ("Semester" drink_week_type option: Vorlesungszeit)
semesters6	int(2) unsigned	YES 0	Number of spirits/shots imbibed Saturday ("Semester" drink_week_type option: Vorlesungszeit)
semesterh6	int(2) unsigned	YES 0	Hours spent drinking Saturday ("Semester" drink_week_type option: Vorlesungszeit)
semestersatBAC	float	YES 0	Blood Alcohol Level for Saturday ("Semester" drink_week_type option: Vorlesungszeit)
semesterb7	int(2) unsigned	YES 0	Number of beers imbibed Sunday ("Semester" drink_week_type option: Vorlesungszeit)
semesterw7	int(2) unsigned	YES 0	Number of wines imbibed Sunday ("Semester" drink_week_type option: Vorlesungszeit)
semesters7	int(2) unsigned	YES 0	Number of spirits/shots imbibed Sunday ("Semester" drink_week_type option: Vorlesungszeit)
semesterh7	int(2) unsigned	YES 0	Hours spent drinking Sunday ("Semester" drink_week_type option: Vorlesungszeit)
semestersunBAC	float	YES 0	Blood Alcohol Level for Sunday ("Semester" drink_week_type option: Vorlesungszeit)
examb1	int(2) unsigned	YES 0	Number of beers imbibed Monday ("Semester" drink week type option: Prüfungszeit)

Name	Туре	Allow Null? / Default Value	Description
examw1	int(2) unsigned	YES O	Number of wines imbibed Monday ("Semester" drink_week_type option: Prüfungszeit)
exams1	int(2) unsigned	YES O	Number of spirits/shots imbibed Monday ("Semester" drink_week_type option: Prüfungszeit)
examh1	int(2) unsigned	YES O	Hours spent drinking Monday ("Semester" drink_week_type option: Prüfungszeit)
exammonBAC	float	YES O	Blood Alcohol Level for Monday ("Semester" drink_week_type option: Prüfungszeit)
examb2	int(2) unsigned	YES O	Number of beers imbibed Tuesday ("Semester" drink_week_type option: Prüfungszeit)
examw2	int(2) unsigned	YES O	Number of wines imbibed Tuesday ("Semester" drink_week_type option: Prüfungszeit)
exams2	int(2) unsigned	YES 0	Number of spirits/shots imbibed Tuesday ("Semester" drink_week_type option: Prüfungszeit)
examh2	int(2) unsigned	YES O	Hours spent drinking Tuesday ("Semester" drink_week_type option: Prüfungszeit)
examtueBAC	float	YES 0	Blood Alcohol Level for Tuesday ("Semester" drink_week_type option: Prüfungszeit)
examb3	int(2) unsigned	YES O	Number of beers imbibed Wednesday ("Semester" drink_week_type option: Prüfungszeit)
examw3	int(2) unsigned	YES 0	Number of wines imbibed Wednesday ("Semester" drink_week_type option: Prüfungszeit)
exams3	int(2) unsigned	YES 0	Number of spirits/shots imbibed Wednesday ("Semester" drink_week_type option: Prüfungszeit)
examh3	int(2) unsigned	YES 0	Hours spent drinking Wednesday ("Semester" drink_week_type option: Prüfungszeit)
examwedBAC	float	YES 0	Blood Alcohol Level for Wednesday ("Semester" drink_week_type option: Prüfungszeit)
examb4	int(2) unsigned	YES O	Number of beers imbibed Thursday ("Semester" drink_week_type option: Prüfungszeit)
examw4	int(2) unsigned	YES 0	Number of wines imbibed Thursday ("Semester" drink_week_type option: Prüfungszeit)
exams4	int(2) unsigned	YES 0	Number of spirits/shots imbibed Thursday ("Semester" drink_week_type option: Prüfungszeit)
examh4	int(2) unsigned	YES 0	Hours spent drinking Thursday ("Semester" drink_week_type option: Prüfungszeit)
examthuBAC	float	YES O	Blood Alcohol Level for Thursday ("Semester" drink_week_type option: Prüfungszeit)
examb5	int(2) unsigned	YES O	Number of beers imbibed Friday ("Semester" drink_week_type option: Prüfungszeit)
examw5	int(2) unsigned	YES O	Number of wines imbibed Friday ("Semester" drink_week_type option: Prüfungszeit)
exams5	int(2) unsigned	YES O	Number of spirits/shots imbibed Friday ("Semester" drink_week_type option: Prüfungszeit)
examh5	int(2) unsigned	YES O	Hours spent drinking Friday ("Semester" drink_week_type option: Prüfungszeit)
examfriBAC	float	YES O	Blood Alcohol Level for Friday ("Semester" drink_week_type option: Prüfungszeit)
examb6	int(2) unsigned	YES O	Number of beers imbibed Saturday ("Semester" drink_week_type option: Prüfungszeit)
examw6	int(2) unsigned	YES O	Number of wines imbibed Saturday ("Semester" drink_week_type option: Prüfungszeit)
exams6	int(2) unsigned	YES 0	Number of spirits/shots imbibed Saturday ("Semester" drink_week_type option: Prüfungszeit)
examh6	int(2) unsigned	YES 0	Hours spent drinking Saturday ("Semester" drink_week_type option: Prüfungszeit)
examsatBAC	float	YES 0	Blood Alcohol Level for Saturday ("Semester" drink_week_type option: Prüfungszeit)
examb7	int(2) unsigned	YES 0	Number of beers imbibed Sunday ("Semester" drink_week_type option: Prüfungszeit)
examw7	int(2) unsigned	YES 0	Number of wines imbibed Sunday ("Semester" drink_week_type option: Prüfungszeit)
exams7	int(2) unsigned	YES 0	Number of spirits/shots imbibed Sunday ("Semester" drink_week_type option: Prüfungszeit)
examh7	int(2) unsigned	YES 0	Hours spent drinking Sunday ("Semester" drink_week_type option: Prüfungszeit)

Name	Туре	Allow Null? / Default Value	Description
examsunBAC	float	YES 0	Blood Alcohol Level for Sunday ("Semester" drink_week_type option: Prüfungszeit)
vacationb1	int(2) unsigned	YES O	Number of beers imbibed Monday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationw1	int(2) unsigned	YES 0	Number of wines imbibed Monday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacations1	int(2) unsigned	YES 0	Number of spirits/shots imbibed Monday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationh1	int(2) unsigned	YES 0	Hours spent drinking Monday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationmonBAC	float	YES 0	Blood Alcohol Level for Monday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationb2	int(2) unsigned	YES 0	Number of beers imbibed Tuesday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationw2	int(2) unsigned	YES 0	Number of wines imbibed Tuesday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacations2	int(2) unsigned	YES 0	Number of spirits/shots imbibed Tuesday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationh2	int(2) unsigned	YES 0	Hours spent drinking Tuesday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationtueBAC	float	YES 0	Blood Alcohol Level for Tuesday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationb3	int(2) unsigned	YES 0	Number of beers imbibed Wednesday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationw3	int(2) unsigned	YES 0	Number of wines imbibed Wednesday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacations3	int(2) unsigned	YES 0	Number of spirits/shots imbibed Wednesday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationh3	int(2) unsigned	YES 0	Hours spent drinking Wednesday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationwedBAC	float	YES 0	Blood Alcohol Level for Wednesday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationb4	int(2) unsigned	YES 0	Number of beers imbibed Thursday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationw4	int(2) unsigned	YES 0	Number of wines imbibed Thursday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacations4	int(2) unsigned	YES 0	Number of spirits/shots imbibed Thursday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationh4	int(2) unsigned	YES 0	Hours spent drinking Thursday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationthuBAC	float	YES 0	Blood Alcohol Level for Thursday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationb5	int(2) unsigned	YES 0	Number of beers imbibed Friday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationw5	int(2) unsigned	YES 0	Number of wines imbibed Friday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacations5	int(2) unsigned	YES 0	Number of spirits/shots imbibed Friday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationh5	int(2) unsigned	YES 0	Hours spent drinking Friday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationfriBAC	float	YES 0	Blood Alcohol Level for Friday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationb6	int(2) unsigned	YES 0	Number of beers imbibed Saturday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationw6	int(2) unsigned	YES 0	Number of wines imbibed Saturday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacations6	int(2) unsigned	YES 0	Number of spirits/shots imbibed Saturday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationh6	int(2) unsigned	YES 0	Hours spent drinking Saturday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationsatBAC	float	YES 0	Blood Alcohol Level for Saturday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationb7	int(2) unsigned	YES 0	Number of beers imbibed Sunday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationw7	int(2) unsigned	YES 0	Number of wines imbibed Sunday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)

Name	Туре	Allow Null? / Default Value	Description
vacations7	int(2) unsigned	YES 0	Number of spirits/shots imbibed Sunday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationh7	int(2) unsigned	YES 0	Hours spent drinking Sunday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
vacationsunBAC	float	YES 0	Blood Alcohol Level for Sunday ("Semester" drink_week_type option: Vorlesungsfreie Zeit)
mostb	int(2) unsigned	YES 0	Number of beers imbibed during "heaviest drinking episode"
mostw	int(2) unsigned	YES 0	Number of wines imbibed during "heaviest drinking episode"
mosts	int(2) unsigned	YES O	Number of spirits/shots imbibed during "heaviest drinking episode"
mosth	int(2) unsigned	YES O	Hours spent drinking during "heaviest drinking episode"
typical	float	YES O	Highest calculated BAC reported during the "typical drinking week"
highest	float	YES 0	Highest calculated BAC including during the "typical drinking week" and the "heaviest drinking episode"
drinkspermonth	float	YES O	Drinks imbibed in a typical month
drinksperweek	int(4) unsigned	YES 0	Number of alcoholic beverages consumed in the "typical drinking week"
spend	int(6) unsigned	YES 0	NO LONGER USED
spendonETOH	int(6) unsigned	YES 0	NO LONGER USED
freeincome	int(6) unsigned	YES 0	NO LONGER USED
percentonETOH	int(6) unsigned	YES 0	NO LONGER USED
spend_etoh	int(5) unsigned	YES 0	Amount of money spent on alcoholic beverages in one week (NEW)
free_money	int(5) unsigned	YES 0	Reported disposable income (NEW)
spend_phone	int(5) unsigned	YES 0	Self reported average monthly cell phone bill
spend_rent	int(5) unsigned	YES 0	Self reported average monthly car payment
spend_car	int(5) unsigned	YES 0	Self reported average monthly rent or house payment
exp_1	char(1)	YES NULL	Alcohol takes effect more quickly when mixed with carbonated/caffeinated beverages or mixers.
			T = User guessed 'true' (correct)
			F = User guessed 'false'
exp_6	char(1)	YES NULL	The body uses the calories in alcohol as a source of energy in the same way it uses the calories in other kinds
			of food.
			T = User guessed 'true'
			F = User guessed 'false' (correct)
exp_7	char(1)	YES NULL	Drinking alcohol has little or no effect on the body's ability to build muscle strength.
			T = User guessed 'true'
			E = Liser guessed (falce) (correct)

F = User guessed 'false' (correct)

Name	Туре	Allow Null? / Default Value	Description
exp_8	char(1)	YES NULL	Alcohol does not interfere with muscle recovery and healing.
			T = User guessed 'true'
			F = User guessed 'false' (correct)
exp_9	char(1)	YES NULL	Mixing alcohol and energy drinks (like Sparkx, Red Bull, Monster, Rock Star, etc.) does not increase the risk of alcohol related consequences.
			T = User guessed 'true'
			F = User guessed 'false' (correct)
exp_stress	tinyint(1) unsigned	YES NULL	Alcohol helps me reduce stress
	, (, 0		
			0 = Not endorsed
			1 = Endorsed
exp_relax	tinyint(1) unsigned	YES NULL	Alcohol helps me relax
			0 = Not endorsed
			1 = Endorsed
exp_confident	tinyint(1) unsigned	YES NULL	I feel more confident
			0 = Not endorsed
			1 = Endorsed
ovn lonaly	tinyint(1) unsigned		I feel less lonely
exp_lonely	tinyint(1) unsigned	YES NULL	Thee ness tonery
			0 = Not endorsed
			1 = Endorsed
exp_talk	tinyint(1) unsigned	YES NULL	I feel more comfortable talking to people
			0 = Not endorsed
			1 = Endorsed
exp_bored	tinyint(1) unsigned	YES NULL	Alcohol relieves my boredom
			0 = Not endorsed
			1 = Endorsed

Name	Туре	Allow Null? / Default Value	Description
exp_friends	tinyint(1) unsigned	YES NULL	Alcohol helps me feel like I belong and I am a part of the group
			0 = Not endorsed
			1 = Endorsed
exp_laugh	tinyint(1) unsigned	YES NULL	I have fun with friends
			0 = Not endorsed
			1 = Endorsed
exp_cope	tinyint(1) unsigned	YES NULL	Alcohol helps me cope with strong feelings like depression, anxiety, guilt and anger
			0 = Not endorsed
			1 = Endorsed
exp_avoid	tinyint(1) unsigned	YES NULL	I stop thinking about problems or conflicts that bother me
			0 = Not endorsed
			1 = Endorsed
exp_sleep	tinyint(1) unsigned	YES NULL	Alcohol helps me sleep
			0 = Not endorsed
			1 = Endorsed
exp_sex	tinyint(1) unsigned	YES NULL	I feel more attractive and sexy
			0 = Not endorsed
			1 = Endorsed
exp_spontaneous	tinyint(1) unsigned	YES NULL	I feel more spontaneous
			0 = Not endorsed
			1 = Endorsed
exp_habit	tinyint(1) unsigned	YES NULL	Drinking is now just a habit for me
			0 = Not endorsed
			1 = Endorsed

Name	Туре	Allow Null? / Default Value	Description
exp_express	tinyint(1) unsigned	YES NULL	Alcohol helps me express my feelings more openly
			0 = Not endorsed
			1 = Endorsed
exp_energetic	tinyint(1) unsigned	YES NULL	I feel more energetic
			0 = Not endorsed
			1 = Endorsed
exp_courageous	tinyint(1) unsigned	YES NULL	I feel more courageous
			0 = Not endorsed
			1 = Endorsed
exp_nervous	tinyint(1) unsigned	YES NULL	Alcohol helps me feel less nervous or afraid
			0 = Not endorsed
			1 = Endorsed
percentless	int(3) unsigned	YES 0	Percentage of all US men/women (same gender) that drink LESS than user (based on drinks per week; NESAC) (OLD)
percent_more	tinyint(3) unsigned	YES NULL	Percentage of all US men/women (same gender) that drink MORE than user (based on drinks per week; NESAC) (NEW)
percent_less	tinyint(3) unsigned	YES NULL	Percentage of all US men/women (same gender) that drink LESS than user (based on drinks per week; NESAC) (NEW)
tolerance	int(3) unsigned	YES 0	Tolerance Scale Score
			Tolerance Scale (Nominal)
			0-60: Low Risk
			61-120: Medium Risk
			121-180: High Risk
			181+: Very High Risk
drinketoh	int(1) unsigned	YES O	Score for Audit Question A.) How often do you have a drink containing alcohol?
			Range = 0 - 4 (Low is better)

Name	Туре	Allow Null? / Default Value	Description
numberdrinks	int(1) unsigned	YES 0	Score for Audit Question B.) How many drinks containing alcohol do you have on a typical day when you are drinking?
			Range = 0 - 4 (Low is better)
sixdrinks	int(1) unsigned	YES O	Score for Audit Question C.) How often do you have six drinks or more on one occasion?
			Range = 0 - 4 (Low is better)
cantstop	int(1) unsigned	YES 0	Score for Audit Question D.) How often, during the last year, have you found that you were not able to stop drinking once you had started?
			Range = 0 - 4 (Low is better)
failed	int(1) unsigned	YES O	Score for Audit Question E.) How often during the last year have you failed to do what was normally expected from you because of drinking?
			Range = 0 - 4 (Low is better)
firstdrink	int(1) unsigned	YES O	Score for Audit Question F.) How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?
			Range = 0 - 4 (Low is better)
guilt	int(1) unsigned	YES O	Score for Audit Question G.) How often during the past year have you had a feeling of guilt or remorse after drinking?
			Range = 0 - 4 (Low is better)
blackout	int(1) unsigned	YES O	Score for Audit Question H.) How often during the last year have you been unable to remember what happened the night before because you had been drinking?
			Range = 0 - 4 (Low is better)
injured	int(1) unsigned	YES 0	Score for Audit Question I.) Have you or someone else been injured as a result of your drinking?
			Possible Scores = 0, 2, or 4 (Low is better)

Name	Туре	Allow Null? / Default Value	Description
health	int(1) unsigned	YES O	Score for Audit Question J.) Has a relative or friend or a doctor or other health worker been concerned about your drinking, or suggested you cut down?
			Possible Scores = 0, 2, or 4 (Low is better)
negcon	int(2) unsigned	YES 0	Negative Consequences Score
			Negative Consequences Scale (Nominal)
			0-7: Low Risk
			8-15: Medium Risk
			16-25: High Risk
			26+: Very High Risk
lifestyle_a	tinyint(1) unsigned	YES NULL	How often during the last year have you had a hangover or felt sick because you had been drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_b	tinyint(1) unsigned		NO LONGER USED
lifestyle_c	tinyint(1) unsigned		NO LONGER USED
lifestyle_d	tinyint(1) unsigned		NO LONGER USED
lifestyle_e	tinyint(1) unsigned		How often during the last year have you had difficulty sleeping because you had been drinking?
inestyle_e	tinyint(1) unsigned	TESNOLL	now often during the last year have you had dimently sleeping because you had been drinking:
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly

4 = Daily or almost daily

Name	Туре	Allow Null? / Default Value	Description
lifestyle_f	tinyint(1) unsigned	YES NULL	How often during the last year have you felt tired, groggy, or unmotivated because you had been drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_g	tinyint(1) unsigned	YES NULL	How often during the last year have you done poorly on a test or school project because you had been
			drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_h	tinyint(1) unsigned	YES NULL	How often during the last year have you procrastinated or not gotten things done because you had been
· _	, , , , , ,		drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_i	tinyint(1) unsigned	YES NULL	How often during the last year have you gone to class under the influence of alcohol?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily

Name	Туре	Allow Null? / Default Value	Description
lifestyle_j	tinyint(1) unsigned	YES NULL	How often during the last year have you gone to work under the influence of alcohol?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_k	tinyint(1) unsigned	YES NULL	How often during the last year have you missed classes because you had been drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly 4 = Daily or almost daily
lifestyle_l	tinyint(1) unsigned		How often during the last year have you missed work because you had been drinking?
inestyle_i	tinyint(1) unsigned		now often during the last year have you missed work because you had been drinking:
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_m	tinyint(1) unsigned	YES NULL	How often during the last year have you driven a car under the influence of alcohol?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily

Name	Туре	Allow Null? / Default Value	Description
lifestyle_n	tinyint(1) unsigned	YES NULL	How often during the last year have you gotten into trouble with the police, campus security or authorities
			because you had been drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_o	tinyint(1) unsigned	YES NULL	How often during the last year have you used alcohol to avoid problems?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_p	tinyint(1) unsigned	YES NULL	How often during the last year have you used more alcohol than you had planned?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_q	tinyint(1) unsigned	YES NULL	How often during the last year have you done things you later regretted because you had been drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily

Name	Туре	Allow Null? / Default Value	Description
lifestyle_r	tinyint(1) unsigned	YES NULL	How often during the last year have you felt bad about yourself because you had been drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly 4 = Daily or almost daily
lifestyle_s	tinyint(1) unsigned	VES NULL	How often during the last year have you spent more money than you had planned because you had been
inestyle_3	tinyint(1) unsigned		drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_t	tinyint(1) unsigned		Not currently used
lifestyle_u	tinyint(1) unsigned	YES NULL	How often during the last year have you had problems with your boyfriend/girlfriend/partner because you
			had been drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_v	tinyint(1) unsigned	YES NULL	How often during the last year have you had problems with your friends or family because you had been
			drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly 4 = Daily or almost daily
lifestyle w	tinyint(1) unsigned		4 = Daily of almost daily NO LONGER USED
lifestyle_w	unyint(1) unsigned	ILS NULL	

Name	Туре	Allow Null? / Default Value	Description
lifestyle_x	tinyint(1) unsigned	YES NULL	NO LONGER USED
lifestyle_y	tinyint(1) unsigned	YES NULL	How often during the last year have you disappointed or hurt or someone because you had been drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_z	tinyint(1) unsigned	YES NULL	Not currently used
lifestyle_aa	tinyint(1) unsigned	YES NULL	How often during the last year have you had unwanted sexual experience(s) while under the influence of alcohol?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_ab	tinyint(1) unsigned	YES NULL	How often during the last year have you gotten into a fight or argument because you had been drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily
lifestyle_ac	tinyint(1) unsigned	YES NULL	How often during the last year have you passed out because you had been drinking?
			0 = Never
			1 = Less than monthly
			2 = Monthly
			3 = Weekly
			4 = Daily or almost daily

Name	Туре	Allow Null? / Default Value	Description
pleasant_1	tinyint(1) unsigned	YES NULL	Going to the gym, exercising or playing sports (0 = No, 1 = Yes)
pleasant_2	tinyint(1) unsigned	YES NULL	Studying (0 = No, 1 = Yes)
pleasant_3	tinyint(1) unsigned	YES NULL	Being with friends who do not drink alcohol (0 = No, 1 = Yes)
pleasant_4	tinyint(1) unsigned	YES NULL	Being with my family (0 = No, 1 = Yes)
pleasant_5	tinyint(1) unsigned	YES NULL	Working (0 = No, 1 = Yes)
pleasant_6	tinyint(1) unsigned	YES NULL	Going to an art exhibit, concert, play, dance or other performance (0 = No, 1 = Yes)
pleasant_7	tinyint(1) unsigned	YES NULL	Asking questions and participating in class discussions (0 = No, 1 = Yes)
pleasant_8	tinyint(1) unsigned	YES NULL	Painting, drawing, writing stories, creating sculpture, ceramics or photography (0 = No, 1 = Yes)
pleasant_9	tinyint(1) unsigned	YES NULL	Reading books, novels, magazines, newspapers, or going to the library (0 = No, 1 = Yes)
pleasant_10	tinyint(1) unsigned	YES NULL	Playing an instrument, singing, dancing, creating or listening to music (0 = No, 1 = Yes)
pleasant_11	tinyint(1) unsigned	YES NULL	Working in politics, being an activist (0 = No, 1 = Yes)
pleasant_12	tinyint(1) unsigned	YES NULL	Participating in religious or spiritual activities (worship, reading, or fellowship) (0 = No, 1 = Yes)
pleasant_13	tinyint(1) unsigned	YES NULL	Practicing meditation or yoga (0 = No, 1 = Yes)
pleasant_14	tinyint(1) unsigned	YES NULL	Talking with my professors (0 = No, 1 = Yes)
pleasant_15	tinyint(1) unsigned	YES NULL	Learning leadership and communication skills (0 = No, 1 = Yes)
pleasant_16	tinyint(1) unsigned	YES NULL	Traveling or studying abroad (0 = No, 1 = Yes)
pleasant_17	tinyint(1) unsigned	YES NULL	Participating in a campus club or organization (0 = No, 1 = Yes)
pleasant_18	tinyint(1) unsigned	YES NULL	Getting a good night's sleep (0 = No, 1 = Yes)
pleasant_19	tinyint(1) unsigned	YES NULL	Getting up early in the morning (0 = No, 1 = Yes)
pleasant_20	tinyint(1) unsigned	YES NULL	Getting things done, being more productive (0 = No, 1 = Yes)
pleasant_21	tinyint(1) unsigned	YES NULL	Making new friends (0 = No, 1 = Yes)
pleasant_22	tinyint(1) unsigned	YES NULL	Talking with a faculty member or advisor about my career plans (0 = No, 1 = Yes)
pleasant_23	tinyint(1) unsigned	YES NULL	Learning how to resolve conflicts more effectively (0 = No, 1 = Yes)
pleasant_24	tinyint(1) unsigned	YES NULL	Volunteering, providing community service and serving others (0 = No, 1 = Yes)
pleasant_25	tinyint(1) unsigned	YES NULL	Learning and doing new things (0 = No, 1 = Yes)
pleasant_26	tinyint(1) unsigned	YES NULL	Tutoring or teaching others (0 = No, 1 = Yes)
relp	int(2) unsigned	YES 0	Number of Parents reported to have problems with alcohol
relbs	int(2) unsigned	YES 0	Number of Siblings reported to have problems with alcohol
relgp	int(2) unsigned	YES 0	Number of Grandparents reported to have problems with alcohol
relua	int(2) unsigned	YES 0	Number of Aunts and Uncles reported to have problems with alcohol
relc	int(2) unsigned	YES 0	Number of Cousins reported to have problems with alcohol

Name	Туре	Allow Null? / Default Value	Description
familyrisk	int(3) unsigned	YES O	Family Risk Scale Score
			Family Risk Scale (Nominal)
			0-1: Low Risk
			1-2: Medium Risk
			3-6: High Risk
			7+: Very High Risk
dui	int(2) unsigned	YES 0	Number of times user reported driving after drinking
duif	int(2) unsigned	YES O	Number of times user reported driving with a friend after the friend had been drinking
collegemore	int(3) unsigned	YES 0	NO LONGER USED
college_more	tinyint(3) unsigned	YES NULL	Percentage of all US COLLEGE men/women (same gender) that drink MORE than user (based on drinks per week; CORE Survey) (NEW)
norm_1	int(2) unsigned	YES 0	User's estimate (in percent) of college students (same gender) who drink more than the user
norm_2	int(2) unsigned	YES 0	Campus-specific social norming questions. Responses represent the user's estimate (in percent) of others'
			use. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.
norm_3	int(2) unsigned	YES 0	Campus-specific social norming questions. Responses represent the user's estimate (in percent) of others' use. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.
norm_4	int(2) unsigned	YES 0	Campus-specific social norming questions. Responses represent the user's estimate (in percent) of others' use. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.
norm_5	int(2) unsigned	YES 0	Campus-specific social norming questions. Responses represent the user's estimate (in percent) of others' use. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.
norm_6	int(2) unsigned	YES O	Campus-specific social norming questions. Responses represent the user's estimate (in percent) of others' use. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.
norm_7	int(2) unsigned	YES O	Campus-specific social norming questions. Responses represent the user's estimate (in percent) of others' use. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.
norm_8	int(2) unsigned	YES O	Campus-specific social norming questions. Responses represent the user's estimate (in percent) of others' use. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.
norm_9	int(2) unsigned	YES 0	Campus-specific social norming questions. Responses represent the user's estimate (in percent) of others' use. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.
norm_10	int(2) unsigned	YES O	Campus-specific social norming questions. Responses represent the user's estimate (in percent) of others' use. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.
cig	int(2) unsigned	YES 0	NO LONGER USED
cigmonth	int(4) unsigned	YES 0	NO LONGER USED
2			

Name	Туре	Allow Null? / Default Value	Description
cigreg	int(2) unsigned	YES O	NO LONGER USED
cigs_day	int(3) unsigned	YES 0	Cigarettes smoked per day (NEW)
cig_years	tinyint(2) unsigned	YES 0	Number of years the user has smoked regularly (NEW)
spend_cig	int(5) unsigned	YES 0	User's estimate of what they TYPICALLY spend on each PACK of cigarettes (NEW)
chng_drink_games	tinyint(1) unsigned	YES NULL	Avoid drinking games
			0 = Not endorsed
			1 = Endorsed
chng_space_time	tinyint(1) unsigned	YES NULL	Space my drinks over time
			0 = Not endorsed
			1 = Endorsed
chng_alt_drinks	tinyint(1) unsigned	YES NULL	Alternate alcoholic and non-alcoholic drinks
			0 = Not endorsed
			1 = Endorsed
chng_set_limit	tinyint(1) unsigned	YES NULL	Set a limit on the number of alcoholic drinks before I start drinking
			0 = Not endorsed
			1 = Endorsed
chng_tell_someone	tinyint(1) unsigned	YES NULL	Tell someone about my plan to change my drinking
			0 = Not endorsed
			1 = Endorsed
chng_dd	tinyint(1) unsigned	YES NULL	Volunteer to be the sober driver
			0 = Not endorsed
			1 = Endorsed
chng_keep_record	tinyint(1) unsigned	YES NULL	Keep track of how many drinks I have had; pay attention to serving sizes.
			0 = Not endorsed
			1 = Endorsed

Name	Туре	Allow Null? / Default Value	Description
chng_plan_no	tinyint(1) unsigned	YES NULL	Have a plan for saying no when I am offered alcohol
			0 = Not endorsed
			1 = Endorsed
chng_select_days	tinyint(1) unsigned	YES NULL	Decide which days I will not drink alcohol
			0 = Not endorsed
			1 = Endorsed
chng_arrive_late	tinyint(1) unsigned	YES NULL	Arrive at the party late and leave early
<u> </u>	, , , , ,		
			0 = Not endorsed
			1 = Endorsed
chng_new_friends	tinyint(1) unsigned	YES NULL	Spend time with friends who don't drink alcohol
			0 = Not endorsed
alara la sua atas	time int(4) and include		1 = Endorsed
chng_leave_atm	tinyint(1) unsigned	YES NULL	Set a limit on the amount of money I will spend when I go out and leave my ATM card at home
			0 = Not endorsed
			1 = Endorsed
chng avoid trigger	s tinyint(1) unsigned	YES NULL	Avoid situations where alcohol is present or I am likely to drink / Identify alternative social activities instead
0 00	, , , , , ,		of partying
			0 = Not endorsed
			1 = Endorsed
chng_pre_party	tinyint(1) unsigned	YES NULL	Only drink at the party, skip the pre-party
			0 = Not endorsed
chng_hard_liquor	tinyint(1) unsigned		1 = Endorsed Avoid shots/hard liquor
	tinyint(1) unsigned	ILS NULL	
			0 = Not endorsed
			1 = Endorsed

a = Not endorsed 1 = Endorsed   chng_hold_cup tinyint(1) unsigned YES NULL Hold a drink/cup instead of consuming alcohol   0 = Not endorsed 1 = Endorsed   chng_avoid_energy tinyint(1) unsigned YES NULL   Avoid mixing energy drinks/caffeinated drinks and alcohol   0 = Not endorsed   1 = Endorsed   confidence int(2) unsigned YES O   campus_id varchar(20) NO   institution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.   access_code varchar(12) YES   opt_demo_1 varchar(25) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_3 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_4 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institu	Name	Туре	Allow Null? / Default Value	Description
chng_hold_cup tinyint(1) unsigned YES NULL Hold a drink/cup instead of consuming alcohol   0 = Not endorsed 1 = Endorsed 0 = Not endorsed 1 = Endorsed   chng_avoid_energy tinyint(1) unsigned YES NULL O = Not endorsed 1 = Endorsed   confidence int(2) unsigned YES OULL O = Not endorsed 1 = Endorsed   confidence int(2) unsigned YES O Confidence interval response   miportance int(2) unsigned YES O Montance interval response   campus_id varchar(20) NO Importance interval response   cargue = 1 - 10 (Low is better) Institution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions on/v.   access_code varchar(22) YES NULL MESEARCH PROJECTS ONLY   opt_demo_1 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_2 varchar(255) YES NULL Institution's questions.   opt_demo_3 varchar(255) YES NULL Institution's questions.   opt_demo_5 varchar(255) YES NULL Institution's questions.   opt_demo_5 varchar(255)	chng_sip_drink	tinyint(1) unsigned	YES NULL	Drink slowly; sip my drinks
chng_hold_cup tinyint(1) unsigned YES NULL Hold a drink/cup instead of consuming alcohol   0 = Not endorsed 0 = Not endorsed   1 = Endorsed <t< td=""><td></td><td></td><td></td><td></td></t<>				
chng_hold_cup tinyint(1) unsigned YES NULL Hold a drink/cup instead of consuming alcohol   0 = Not endorsed 1 = Endorsed 0 = Not endorsed 1 = Endorsed   confidence tin(2) unsigned YES NULL Avoid mixing energy drinks/caffeinated drinks and alcohol   0 = Not endorsed 1 = Endorsed 0 = Not endorsed 1 = Endorsed 0 = Not endorsed   confidence int(2) unsigned YES 0 Confidence interval response   maportance int(2) unsigned YES 0 Importance interval response   campus_id varchar(20) NO Institution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.   access_code varchar(20) NO Institution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_1 varchar(25) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_3 varchar(25) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_5 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.				
D = Not endorsed 1 = Endorsed   chng_avoid_energy trivint(1) unsigned YES NULL Avoid mixing energy drinks/caffeinated drinks and alcohol   D = Not endorsed 1 = Endorsed D = Not endorsed 1 = Endorsed   confidence int(2) unsigned YES 0   Confidence int(2) unsigned YES 0   Range = 1 - 10 (Low is better) Importance interval response   rampus_id varchar(20) NO   nontrivino and provide interval response Range = 1 - 10 (Low is better)   campus_id varchar(20) NO   nontrivino and provide interval response Nolocol Institution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.   access_code varchar(12) YES   opt_demo_1 varchar(12) YES NULL   Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_2 varchar(255) YES NULL   Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_3 varchar(255) YES NULL Institution's questions.   opt_demo_4 varchar(255) YES NULL Institution's quest	share hald sur			
http://winite/intersection 1 = Endorsed   Avoid mixing energy drinks/caffeinated drinks and alcohol 0 = Not endorsed   1 = Endorsed 0 = Not endorsed   Importance int(2) unsigned YES 0   Campus_id Varchar(20) NO   No Institution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.   access_code varchar(12) YES RESEARCH PROJECTS ONLY   opt_demo_1 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_3 varchar(255) Y	cnng_noia_cup	tinyint(1) unsigned	YES NULL	Hold a drink/cup instead of consuming alconol
http://winite/intersection 1 = Endorsed   Avoid mixing energy drinks/caffeinated drinks and alcohol 0 = Not endorsed   1 = Endorsed 0 = Not endorsed   Importance int(2) unsigned YES 0   Campus_id Varchar(20) NO   No Institution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.   access_code varchar(12) YES RESEARCH PROJECTS ONLY   opt_demo_1 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_3 varchar(255) Y				0 = Not endorsed
Confidence int(2) unsigned YES 0 Confidence interval response   Range = 1 - 10 (Low is better) Importance interval response   Range = 1 - 10 (Low is better) Importance interval response   Range = 1 - 10 (Low is better) Importance interval response   Range = 1 - 10 (Low is better) Importance interval response   Range = 1 - 10 (Low is better) Importance interval response   Range = 1 - 10 (Low is better) Importance interval response   Range = 1 - 10 (Low is better) Importance interval response   Range = 1 - 10 (Low is better) Importance interval response   Importance Varchar(20) NO   Institution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.   access_code varchar(22) YES NULL   Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_2 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_4 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_5				
1 = Endorsed   confidence int(2) unsigned YES 0   Range = 1 - 10 (Low is better)   importance Int(2) unsigned YES 0   Range = 1 - 10 (Low is better)   campus_id varchar(20) NO Institution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.   access_code varchar(12) YES NULL RESEARCH PROJECTS ONLY   opt_demo_1 varchar(25) YES NULL Institution's questions.   opt_demo_2 varchar(25) YES NULL Institution's questions.   opt_demo_3 varchar(25) YES NULL Institution's questions.   opt_demo_4 varchar(25) YES NULL Institution's questions.   opt_demo_5 varchar(25) YES NULL Institution's questions.   opt_demo_6 varchar(25) YES NULL Institution's questions.   opt_demo_6 varchar(25) YES NULL Institution's questions.	chng_avoid_energy	tinyint(1) unsigned	YES NULL	Avoid mixing energy drinks/caffeinated drinks and alcohol
1 = Endorsed   confidence int(2) unsigned YES 0   Range = 1 - 10 (Low is better)   importance Int(2) unsigned YES 0   access_code varchar(20) NO Institution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.   access_code varchar(12) YES NULL RESEARCH PROJECTS ONLY   opt_demo_1 varchar(25) YES NULL Institution's questions.   opt_demo_2 varchar(25) YES NULL Institution's questions.   opt_demo_3 varchar(25) YES NULL Institution's questions.   opt_demo_4 varchar(25) YES NULL Institution's questions.   opt_demo_5 varchar(25) YES NULL Institution's questions.   opt_demo_4 varchar(25) YES NULL Institution's questions.   opt_demo_5 varchar(255) YES NULL Institution's questions.   opt_demo_6 varchar(255) YES NULL Institution's questions.   opt_demo_6 varchar(255) YES NULL Institution's questions.				
confidence int(2) unsigned YES 0 Confidence interval response   Range = 1 - 10 (Low is better) mportance int(2) unsigned YES 0   campus_id varchar(20) NO Institution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.   access_code varchar(12) YES RESEARCH PROJECTS ONLY   opt_demo_1 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_2 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_3 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_4 varchar(255) YES NULL Institution's questions.   opt_demo_5 varchar(255) YES NULL Institution's questions.   opt_demo_6 varchar(255) YES NULL Institution's questions.   opt_demo_5 varchar(255) YES NULL Institution's questions.   opt_demo_5 varchar(255) YES NULL Institution's questions.				0 = Not endorsed
mportance int(2) unsigned YES 0 Importance interval repsonse   Range = 1 - 10 (Low is better) Range = 1 - 10 (Low is better)   campus_id varchar(20) NO Institution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.   access_code varchar(12) YES RESEARCH PROJECTS ONLY   opt_demo_1 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_2 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_3 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_4 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_5 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_5 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's question				1 = Endorsed
importanceint(2) unsignedYES 0Importance interval repsonse Range = 1 - 10 (Low is better)campus_idvarchar(20)NOInstitution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.access_codevarchar(12)YESRESEARCH PROJECTS ONLYopt_demo_1varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_2varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_3varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_4varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.	confidence	int(2) unsigned	YES 0	Confidence interval response
importanceint(2) unsignedYES 0Importance interval repsonse Range = 1 - 10 (Low is better)campus_idvarchar(20)NOInstitution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.access_codevarchar(12)YESRESEARCH PROJECTS ONLYopt_demo_1varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_2varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_3varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_4varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.				
Range = 1 - 10 (Low is better)   campus_id varchar(20) NO   Institution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.   access_code varchar(12) YES   opt_demo_1 varchar(255) YES NULL   Institution's questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_2 varchar(255) YES NULL   Institution's questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_3 varchar(255) YES NULL   Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_3 varchar(255) YES NULL   Institution's questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_4 varchar(255) YES NULL   Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_5 varchar(255) YES NULL   Institution's questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.   opt_demo_5 varchar(255) YES NULL   Instituti		(0)		
campus_idvarchar(20)NOInstitution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.access_codevarchar(12)YESRESEARCH PROJECTS ONLYopt_demo_1varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_2varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_3varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_4varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.	importance	int(2) unsigned	YESO	Importance interval repsonse
campus_idvarchar(20)NOInstitution Alcohol eCHECKUP TO GO Identification. For Alcohol eCHECKUP TO GO administrative functions only.access_codevarchar(12)YESRESEARCH PROJECTS ONLYopt_demo_1varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_2varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_3varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_4varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.				Bange $-1 - 10 (I_{\text{OW}} \text{ is better})$
access_codevarchar(12)YESRESEARCH PROJECTS ONLYopt_demo_1varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_2varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_3varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_4varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.	campus id	varchar(20)	NO	- · ·
access_codevarchar(12)YESRESEARCH PROJECTS ONLYopt_demo_1varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_2varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_3varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_4varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.	campus_ia			
opt_demo_1varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_2varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_3varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_4varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.	access_code	varchar(12)	YES	•
opt_demo_2varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_3varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_4varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.	opt_demo_1		YES NULL	Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your
institution's questions.opt_demo_3varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_4varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.				institution's questions.
opt_demo_3varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_4varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.	opt_demo_2	varchar(255)	YES NULL	Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your
institution's questions.opt_demo_4varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.				•
opt_demo_4varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.	opt_demo_3	varchar(255)	YES NULL	
opt_demo_5varchar(255)YES NULLinstitution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions.		L (255)		•
opt_demo_5varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your institution's questions.opt_demo_6varchar(255)YES NULLInstitution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your	opt_demo_4	varchar(255)	YES NULL	
opt_demo_6varchar(255)YES NULLInstitution's questions.PlacePlac	ont domo E	varchar(255)		•
opt_demo_6 varchar(255) YES NULL Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your	opt_demo_5	valchal(255)	ILS NULL	
	opt demo 6	varchar(255)	YES NULL	
institution's questions.				institution's questions.

Name	Туре	Allow Null? / Default Value	Description
opt_demo_7	varchar(255)	YES NULL	Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your
			institution's questions.
opt_demo_8	varchar(255)	YES NULL	Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your
			institution's questions.
opt_demo_9	varchar(255)	YES NULL	Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your
			institution's questions.
opt_demo_10	varchar(255)	YES NULL	Institution-specific optional demographic questions. Please refer to your Alcohol eCHECKUP TO GO for your
			institution's questions.
evc	varchar(9)	YES NULL	Has the user completed the Electronic Verification of Completion and Personal Reflections program?
			(Specific to episode)
			null = No
			Y = Yes